



FIRST FLOOR PLAN

COLUMBUS AVENUE

Above are the suggested paths of egress for most event that coincide with our approved floor plan.
 Note: Trade shows and theater style seating may require more paths.
 Should your want a floor plan the differs from the appoved floor plan you will need approval from the Castle and/or the Boston Fire Department.

BOSTON FIRE DEPEARMENT WILL HAVE FINAL SAY ON SITE OF ALL FLOORPLANS
 NO EXITS MAY BE BLOCKED WITHIN AN 8' X8' AREA
 EXITS MUST BE VISABLE TO GUESTS AND NOT BLOCKED WITH DRAPE
 THERE IS ONLY ONE ADA EXIT ON THE FAR RIGHT WHICH CAN NOT BE BLOCKED

= 8' AISLE
 = 8' X 8' AREA

INFORMATION BY OTHERS
 MINOR FIELD CONFIRMATIONS HAVE BEEN MADE

NOTE: This CAD file/drawing is provided for your convenience only. The information contained therein is compiled from a variety of sources and Walsh/Cochis Associates Inc. and their client cannot guarantee the accuracy of that information. Walsh/Cochis Associates Inc. and their client accept no liability for the results obtained through the use of this information. The original CAD file shall not be changed or altered in any way.	REVISIONS	<h2 style="margin: 0;">EXISTING FLOOR PLAN</h2>	EXISTING FLOOR PLAN AT: <h2 style="margin: 0;">THE CASTLE EXPOSITION CENTER</h2> <p style="font-size: 8px;">130 COLUMBUS AVENUE BOSTON, MASSACHUSETTS</p>		PROJECT NO. 2014_0332	EC 1										
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">DATE</th> <th>COMMENTS</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>				DATE		COMMENTS									
DATE	COMMENTS															
DATE 7/7/2014	SCALE 1" = @ 29'															
DRAWN BY FFP/PCL																